

MULTI V3 CABINEO FOR CONNECTOR POCKETS

Tooling Technology

Wood / Composites /
Aluminium machining




For connector Cabineo

Lamello



MULTI-SPINDLE HEAD – CLASSIC LINE

MULTI V3 CABINEO



TECHNICAL DATA

Lubrication	Grease
Max. drive speed n_2	10,000 rpm
Transmission ratio (n_1 : n_2)	1:1
Max. drive torque M_2	3 Nm
Weight	about 4 kg

STANDARD DESIGN

- 1



Machine connection
HSK - F63
Also available for other machine connections
- 2

3

Number of spindles
- 11,2
- Spindle distance
- 

Output spindle
Weldon Ø6

MACHINING



Drilling

SPECIFICATIONS



Number of output spindles



Axis angle



C-angle



Grease lubrication

ORDER DIRECTLY



Inquiry form:
<https://www.benztooling.com/en/products/wood-composites/tooling-technologies/request/aggregates/request?id=858>



The connector pockets are machined by the multi-spindle head in one single step.

CONNECTOR CABINEO

EASY MACHINING AND ASSEMBLY

Advantages of the connector Cabineo



No edge drilling



No dowel holes



One-piece and preinstalled



Fast assembly



High clamping force



Panels from 12 mm thickness



Installation of fixed shelves in assembled units



Simple, fast and strong

BENZ GmbH Werkzeugsysteme

Kinzigpark 3
77723 Gengenbach
Germany

T +49 7803 504 300-0
info@benztooling.com
www.benztooling.com

